

Colad Masking Paper Premium

Colad Masking Paper Premium has customized properties for use in diverse masking applications. This makes the paper easy in use and also optimized masking capabilities. Perfect barrier properties in combination with the right absorption possibilities: paint will stick to the Masking Paper, but will not bleed through under normal conditions.

Benefits of Masking Paper Premium:

- Easy to tear in a straight line
- Perfect barrier properties
- Right absorption features
- Paint sticks to the masking paper but does not bleed through under normal conditions
- For easy application of Colad Masking Paper Premium, different masking paper dispensers are available

Packaging information

Per roll

Technical information

- Paper: Recycled
- Grammage: 50 g/m² Conform ISO 536
- Absorption: 22 g/m² Conform ISO 535 (Cobb)
- Strength: 2.2 kPa.m²/g Conform ISO 2758
- Porosity: 120 ml/min Conform ISO 5636-3 (Bendtsen)
- Length: 300 m
- Width: 21 - 150 cm



Article number: 2060xxx

Description: Masking Paper Premium

Art no.	Variant	EAN
206021	21 cm	8714247001141
206028	28 cm	8714247006832
206037	37,5 cm	8714247001165
206045	45 cm	8714247001172
206060	60 cm	8714247001189
206090	90 cm	8714247001202
206030	30 cm	8714247001158
206070	70 cm	8714247001196
2060120	120 cm	8714247001127
2060150	150 cm	8714247001134

Frequently Asked Questions

> **How to choose the right masking paper?**

Select your masking paper based on the following properties:

Grammage; Depending on the grammage, the porosity and absorption capacities of the paper may vary.

Absorption; Determines the amount of paint that can be absorbed by the paper before leaking through.

Strength; The strength of the paper determines the risk of cracking while applying.

Porosity; Determines the amount of paint that will leak through the paper.

> **How to apply masking paper with masking tape?**

The Colad masking paper dispensers apply the masking tape automatically with the paper! All our masking paper dispensers are designed to mask quick and easy. The mobile units are fitted with strong wheels which can be moved through the masking area, including grid floors. Check out art 2020, 2030, 2010 or 000847

> **With what ISO standards is Colad masking paper produced?**

Colad recycled masking paper is produced in accordance with: Substance - ISO 536, Bursting strength - ISO 2758, Porosity - ISO 5636-3 (Bendtsen) & Water absorption (60 sec): ISO 535 (Cobb).

> **How environmental friendly is Colad masking paper?**

>

Colad recycled masking paper is produced in accordance with ISO 14001 ensures that environmental impact is being measured and improved. & Biodegradable in accordance with the requirements of standard EN 13432:2000.

> **Can I use this Masking Paper without the paint bleeding through on my surface?**

Yes, 40 g and 50 g masking paper is thick enough to ensure that the paint does not bleed through on your surface. Do you want even more security? Then you can double mask the surface in the spraying zones with 21 cm or 37 cm wide paper.

Related products



000847

Masking Paper Dispenser



9070xx

Premium Masking Tape



9090

Sensor Covers

Certifications



Compostable EN13432:2000

Colad Masking Paper is produced- and is biodegradable in accordance with the requirements of the standard EN 13432:2000.

Disclaimer

It is the responsibility of the user to read, understand and apply the information contained in this data sheet. Products are for professional use only. Necessary protective equipment and clothing should be worn. Repairs should always be done in accordance with OEM guidelines and regulations. All information is for the user's consideration, investigation and verification. The specific use, application and conditions of use are beyond the control of EMM International BV. It is the responsibility of the user to determine the suitability of the product for the user's specific application.